

# **EXHIBIT 43**

**AMENDED APPENDIX H.ALU - Alcatel / ALU Usage of Disputed CLI Commands**

Disputed Cisco Command	Alcatel/ALU Command Syntax	Bates Number of Alcatel/ALU Manual
aaa authentication login	aaa authentication login {default   list-name} method1 [method2...]	ARISTANDCA13187525
arp timeout	arp timeout seconds	ARISTANDCA13187525
boot system	boot system [unit unit] {image-1   image-2}	ARISTANDCA13187525
channel-group	channel-group port-channel-number mode {on   auto}	ARISTANDCA13187525
clear arp-cache	clear arp-cache	ARISTANDCA13187525
clear counters	clear counters [ethernet interface   port-channel port-channel-number]	ARISTANDCA13187525
clock set	clock set hh:mm:ss day month year	ARISTANDCA13187525
clock timezone	clock timezone hours-offset [minutes minutes-offset] [zone acronym]	ARISTANDCA13187525
dot1x port-control	dot1x port-control {auto   force-authorized   force-unauthorized}	ARISTANDCA13187525
dot1x reauthentication	dot1x re-authentication	ARISTANDCA13187525
dot1x system-auth-control	dot1x system-auth-control	ARISTANDCA13187525
dot1x timeout quiet-period	dot1x timeout quiet-period seconds	ARISTANDCA13187525
dot1x timeout reauth-period	dot1x timeout re-authperiod seconds	ARISTANDCA13187525
dot1x timeout tx-period	dot1x timeout tx-period seconds	ARISTANDCA13187525
errdisable recovery cause	errdisable recovery cause {lbd}	ARISTANDCA13187525
errdisable recovery interval	errdisable recovery interval seconds	ARISTANDCA13187525
interface ethernet	interface ethernet interface	ARISTANDCA13187525
interface port-channel	interface port-channel port-channel-number	ARISTANDCA13187525
interface vlan	interface vlan vlan-id	ARISTANDCA13187525
ip access-group	ip access-group <accesslistnumber> in [sequence<seqno>]	ARISTANDCA13188297
ip access-list	ip-access-list name	ARISTANDCA13187525
ip address	ip address ip-address {mask   prefix-length}	ARISTANDCA13187525
ip dhcp snooping	ip dhcp snooping	ARISTANDCA13187525
ip dhcp snooping vlan	ip dhcp snooping vlan vlan-id	ARISTANDCA13187525
ip domain lookup	ip domain-lookup	ARISTANDCA13187525
ip domain-name	ip domain-name name	ARISTANDCA13187525
ip host	ip host name address	ARISTANDCA13187525
ip igmp snooping	ip igmp snooping	ARISTANDCA13187525
ip name-server	ip name-server server-address [server-address2 ... server-address8]	ARISTANDCA13187525
ipv6 dhcp relay destination	ipv6 dhcp relay if_name destination ip6_address scope_if_name no ipv6 dhcp relay if_name destination ip6_address scope if_name	ARISTANDCA13202891
lacp port-priority	lacp port-priority value	ARISTANDCA13187525
lacp system-priority	lacp system-priority value	ARISTANDCA13187525
mac access-group	mac access-group <name> in [sequence <seqno>]	ARISTANDCA13188297
mac access-list	mac access-list name	ARISTANDCA13187525
mac-address-table aging-time	mac-address-table aging-time seconds	ARISTANDCA13206391
ntp authenticate	snmp authenticate	ARISTANDCA13187525
ntp server	snmp server {ip-address   hostname} [poll] [key keyid]	ARISTANDCA13187525
radius-server deadtime	radius-server deadtime deadtime	ARISTANDCA13187525
radius-server host	radius-server host {ip-address   hostname} [auth-port auth-port-number] [timeout timeout] [retransmit retries] [deadtime deadtime] [key key-string] [source source] [priority priority] [usage type]	ARISTANDCA13187525
radius-server key	radius-server key {key-string}	ARISTANDCA13187525
radius-server retransmit	radius-server retransmit retries	ARISTANDCA13187525
radius-server timeout	radius-server timeout timeout	ARISTANDCA13187525
show arp	show arp [ip-address ip-address] [mac-address mac-address] [ethernet interface   port-channel port-channel-number]	ARISTANDCA13187525
show clock	show clock [detail]	ARISTANDCA13187525
show dot1x	show dot1x [ethernet interface]	ARISTANDCA13187525
show dot1x statistics	show dot1x statistics ethernet interface	ARISTANDCA13187525
show hosts	show hosts [name]	ARISTANDCA13187525
show ip interface brief	show ip interface brief	ARISTANDCA13188297
show interfaces description	show interfaces description [ethernet interface   port-channel port-channel-number]	ARISTANDCA13187525
show interfaces switchport	show interfaces switchport [ethernet interface   port-channel port-channel-number]	ARISTANDCA13187525
show ip dhcp snooping	show ip dhcp snooping [ethernet interface   port-channel port-channel-number]	ARISTANDCA13187525
show ip igmp snooping groups	show ip igmp snooping groups [vlan vlan-id] [address ip-multicast-address] [source ip-address]	ARISTANDCA13187525
show ip igmp snooping mrouter	show ip igmp snooping mrouter [interface vlan-id]	ARISTANDCA13187525
show ip interface	show ip interface [ethernet interface-number   vlan vlan-id   port-channel port-channel-number]	ARISTANDCA13187525
show ipv6 access-list	show ip access-list [access-list-name]	ARISTANDCA13206391
show lldp neighbors	show lldp neighbors [ethernet interface]	ARISTANDCA13187525
show mac access-lists	show mac access-lists [<name>]	ARISTANDCA13188297
show monitor session	show monitor session <session-id>	ARISTANDCA13188297
show privilege	show privilege	ARISTANDCA13187525
show qos maps	show qos map [dscp-queue   dscp-dp   tcp-port-queue   udp-port-queue   policed-dscp   dscp-mutation   service-type-cos   service-type-dscp]	ARISTANDCA13187525
show radius	show radius-servers	ARISTANDCA13187525
show snmp engineID	show snmp engineID	ARISTANDCA13187525
show spanning-tree	show spanning-tree [ethernet interface-number   port-channel port-channel-number] [instance instance-id]	ARISTANDCA13187525
show spanning-tree blockedports	show spanning-tree [detail] [active   blockedports] [instance instance-id]	ARISTANDCA13187525

**AMENDED APPENDIX H.ALU - Alcatel / ALU Usage of Disputed CLI Commands**

show spanning-tree interface	show spanning-tree interface <port>	ARISTANDCA13188297
show spanning-tree mst configuration	show spanning-tree mst-configuration	ARISTANDCA13187525
show storm-control	show ports storm-control [interface]	ARISTANDCA13187525
show tacacs	show tacacs [ip-address]	ARISTANDCA13187525
show users	show users	ARISTANDCA13187525
show version	show version [unit unit]	ARISTANDCA13187525
show vlan	show vlan [id vlan-id   name vlan-name]	ARISTANDCA13187525
show vlan internal usage	show vlan internal usage	ARISTANDCA13187525
snmp-server community	snmp-server community community [ro   rw   su] [ipv4 address] [mask   prefix-length] [view view-name]	ARISTANDCA13187525
snmp-server contact	snmp-server contact text	ARISTANDCA13187525
snmp-server enable traps	snmp-server enable traps	ARISTANDCA13187525
snmp-server engineID local	snmp-server engineID local {engineid-string   default}	ARISTANDCA13187525
snmp-server group	snmp-server group groupname {v1   v2   v3 {noauth   auth   priv} [notify notifyview ]} [read readview] [write writeview]	ARISTANDCA13187525
snmp-server host	snmp-server host {ip-address   hostname} community-string [traps   informs] [1   2] [udp-port port ] [filter filtername] [timeout seconds] [retries retries]	ARISTANDCA13187525
snmp-server location	snmp-server location text	ARISTANDCA13187525
snmp-server user	snmp-server user username groupname {remote engineid string} [auth-md5 password   auth-sha password   auth-md5-key md5-des-keys   auth-sha-key sha-des-keys]	ARISTANDCA13187525
snmp-server view	snmp-server view view-name oid-tree {included   excluded}	ARISTANDCA13187525
spanning-tree bpduguard	spanning-tree bpduguard	ARISTANDCA13187525
spanning-tree cost	spanning-tree cost cost	ARISTANDCA13187525
spanning-tree link-type	spanning-tree link-type {point-to-point   shared}	ARISTANDCA13187525
spanning-tree mode	spanning-tree mode {stp   rstp   mstp}	ARISTANDCA13187525
spanning-tree mst configuration	spanning-tree mst configuration	ARISTANDCA13187525
spanning-tree port-priority	spanning-tree port-priority priority	ARISTANDCA13187525
storm-control	show ports storm-control [interface]	ARISTANDCA13187525
switchport access vlan	switchport access vlan {vlan-id   dynamic}	ARISTANDCA13187525
switchport mode	switchport mode {access   trunk   general}	ARISTANDCA13187525
switchport trunk allowed vlan	switchport trunk allowed vlan {add vlan-list   remove vlan-list}	ARISTANDCA13187525
switchport trunk native vlan	switchport trunk native vlan vlan-id	ARISTANDCA13187525
tacacs-server host	tacacs-server host {ip-address   hostname} [single-connection] [port port-number] [timeout timeout] [key key-string] [source source] [priority priority]	ARISTANDCA13187525
tacacs-server key	tacacs-server key key-string	ARISTANDCA13187525
tacacs-server timeout	tacacs-server timeout timeout	ARISTANDCA13187525
aaa accounting	aaa accounting command server1 [server2...] [local]	ARISTANDCA13189829
clear ipv6 neighbors	clear ipv6 neighbors	ARISTANDCA13189829
ipv6 access-list	ipv6 access-list access-list-name	ARISTANDCA13189829
ipv6 address	ipv6 address ipv6_address/prefix_length [anycast] {if_name   loopback}	ARISTANDCA13189829
ipv6 host	ipv6 host name ipv6_address	ARISTANDCA13189829
ipv6 neighbor	ipv6 neighbor ipv6_address hardware_address {if_name} slot/port	ARISTANDCA13189829
ipv6 ospf area	ipv6 ospf area area_id {type {normal   stub [default-metric metric]}}	ARISTANDCA13189829
ipv6 route	ipv6 route ipv6_prefix/prefix_length ipv6_address [if_name]	ARISTANDCA13189829
show interfaces	show interfaces [slot   slot/port[-port2]]	ARISTANDCA13189829
show interfaces flowcontrol	show interfaces [slot   slot/port[-port2]] flow [control]	ARISTANDCA13189829
show interfaces status	show interfaces [slot   slot/port[-port2]] status	ARISTANDCA13189829
show interfaces transceiver	show interfaces [slot   slot/port[-port2]] transceiver {ddm   w-low   w-high   a-low   a-high   actual}	ARISTANDCA13189829
show ip access-lists	show ip access-list {access-list-name}	ARISTANDCA13189829
show ip bgp	show ip bgp	ARISTANDCA13189829
show ip bgp neighbors	show ip bgp neighbors [ip_address]	ARISTANDCA13189829
show ip mroute	show ip mroute	ARISTANDCA13189829
show ip ospf	show ip ospf	ARISTANDCA13189829
show ip ospf border-routers	show ip ospf border-routers [area_id] [router_id] [tos] [gateway]	ARISTANDCA13189829
show ip ospf interface	show ip ospf interface [interface_name]	ARISTANDCA13189829
show ip ospf neighbor	show ip ospf neighbor [ip_address]	ARISTANDCA13189829
show ip pim interface	show ip pim interface [if_name]	ARISTANDCA13189829
show ip pim neighbor	show ip pim neighbor [ip_address]	ARISTANDCA13189829
show ip route	show ip route [summary]	ARISTANDCA13189829
show ip route summary	show ip route [summary]	ARISTANDCA13189829
show ipv6 bgp neighbors	show ipv6 bgp neighbors [ipv6_address]	ARISTANDCA13189829
show ipv6 interface	show ipv6 interface [if_name   loopback]	ARISTANDCA13189829
show ipv6 neighbors	show ipv6 neighbors [ipv6_prefix/prefix_length   if_name   hw hardware_address   static]	ARISTANDCA13189829
show ipv6 ospf	show ipv6 ospf	ARISTANDCA13189829
show ipv6 ospf border-routers	show ipv6 ospf border-routers [area area_id] [router router_id]	ARISTANDCA13189829
show ipv6 ospf interface	show ipv6 ospf interface [interface_name]	ARISTANDCA13189829
show ipv6 ospf neighbor	show ipv6 ospf neighbor [router ipv4_address][interface interface_name]	ARISTANDCA13189829
show mac-address-table	show mac-address-table {permanent   learned   quarantined} [mac_address] [slot slot   slot/port] [linkagg link_agg] [vid   vid1-vid2]	ARISTANDCA13189829
show mac-address-table aging time	show mac-address-table aging-time	ARISTANDCA13189829
show mac-address-table count	show mac-address-table count [mac_address] [slot slot   slot/port] [linkagg link_agg] [vid   vid1-vid2]	ARISTANDCA13189829
show module	show module [number]	ARISTANDCA13189829

**AMENDED APPENDIX H.ALU - Alcatel / ALU Usage of Disputed CLI Commands**

show ntp status	show ntp status	ARISTANDCA13189829
show port-security	show port-security [slot/port1-port2   slot/port]	ARISTANDCA13189829
show reload	show reload [status]	ARISTANDCA13189829
show vrf	show vrf	ARISTANDCA13189829
show vrrp	show vrrp [vrid]	ARISTANDCA13189829
vrrp preempt	vrrp vrid vlan_id [enable   disable   on   off] [priority priority] [preempt   no preempt] [[advertising] interval seconds]	ARISTANDCA13189829
vrrp priority	vrrp vrid vlan_id [enable   disable   on   off] [priority priority] [preempt   no preempt] [[advertising] interval seconds]	ARISTANDCA13189829
vrrp track	vrrp track track_id [enable   disable] [priority value] [ipv4-interface name   ipv6-interface name   port slot/port   address address]	ARISTANDCA13189829

Total of 138 command abstractions listed above.